AUTHOR INDEX

PAGE

Abbiati, M. and Maltagliati, F.
Genetic population structure of *Neanthes succinea* (Polychaeta: Nereididae) 511
Ackerly, S.C.
Rapid shell closure in the brachiopods *Terebratulina retusa* and *Terebratalia transversa* 579
Almada, V.C., Gonçalves, E.J., Oliveira, R.F. de and Barata, E.N.
Some features of the territories in the breeding males of the intertidal blenny *Lipophrys pholis* (Pisces: Blenniidae) 187
Alvarez, J.A.
Fenestrulina asturiasensis sp. nov. (Bryozoa: Cheilostomida) from the northern coast of the Iberian Peninsula 727
Archer, S.N., *see* Partridge *et al.* 113
Auffret, M. and Le Pennec, M.
Microscopical observations on the excretory organs of the hydrothermal mussel *Bathymodiolus thermophilus* (Mollusca: Bivalvia) 503
Baker, N.G., *see* Taylor, A.H. *et al.* 919
Barata, E.N., *see* Almada *et al.* 187
Barber, D.L., *see* Hatfield *et al.* 281
Bautista, B., *see* Davies, A.G. *et al.* 691
Beardmore, J.A., *see* Thorpe, J.P. *et al.* 887
Bebianno, M.J., Langston, W.J. and Simkiss, K.
Metallothionein induction in *Littorina littorea* (Mollusca: Prosobranchia) on exposure to cadmium 329
Bergstad, O.A., *see* Gordon and Bergstad 213
Bernstein, S.A., *see* Lapota *et al.* 733
Billett, D.S.M., *see* Tyler *et al.* 447
Blaxter, J.H.S., *see* Harvey *et al.* 651
Bone, Q.
On the locomotion of ascidian tadpole larvae 161
Boyle, P.R., *see* Kear and Boyle 543
Bron, J.E. and Treasurer, J.W.
Sea lice (Caligidae) on wrasse (Labridae) from selected British wild and salmon-farm sources 645
Burkill, P.H., *see* Pilling *et al.* 265
Case, J.F., *see* Lapota *et al.* 733
Castagna, M., *see* Goodsell *et al.* 231
Child, A.R.
Biochemical polymorphism in bass, *Dicentrarchus labrax*, in the waters around the British Isles 357
Chisholm, J.R.S. and Smith, V.J.
Antibacterial activity in the haemocytes of the shore crab, *Carcinus maenas* 529
Clarke, M.R., *see* Würtz *et al.* 861
Colebrook, J.M., *see* Taylor, A.H. *et al.* 919
Conand, C., *see* Tuwo and Conand 745
Conway, D.V.P., *see* Coombs *et al.* 821
Coombs, S.H., Nichols, J.H., Conway, D.V.P., Milligan, S. and Halliday, N.C.
Food availability for sprat larvae in the Irish Sea 821
Cornelius, P.F.S., *see* Thorpe, J.P. *et al.* 887

PAGE

Crawford, D.W.
An epibiont on the red-water ciliate *Mesodinium rubrum* 261
See also Daneri *et al.* 723
Dales, R.P.
Phagocyte interactions in echinoid and asteroid echinoderms 473
Daneri, G., Iriarte, A., Garcia, V.M., Purdie, D.A. and Crawford, D.W.
Growth irradiance as a factor controlling the dark respiration rates of marine phytoplankton 723
Davenport, J.
Wing-loading, stability and morphometric relationships in flying fish (Exocoetidae) from the north-eastern Atlantic 25
Observations on the ecology, behaviour, swimming mechanism and energetics of the neustonic grapsid crab, *Planes minutus* 611
Davenport, J., Spikes, M., Thornton, S.M. and Kelly, B.O.
Crab-eating in the diamondback terrapin *Malaclemys terrapin*: dealing with dangerous prey 835
Davies, A.G., Madariaga, I. de, Bautista, B., Fernández, E., Harbour, D.S., Serret, P. and Tranter, P.R.G.
The ecology of a coastal *Phaeocystis* bloom in the north-western English Channel in 1990 691
Davies, M.S., Jones, H.D. and Hawkins, S.J.
Physical factors affecting the fate of pedal mucus produced by the common limpet *Patella vulgata* 633
Davoult, D., Degros, N., Janquín, M.A. and Soyez, B.
Biometrics, carbon and nitrogen content in the ophiuroid *Ophiothrix fragilis* 915
Degros, N., *see* Davoult *et al.* 915
Distel, D.L., *see* Haygood *et al.* 149
Dixon, D.R., Simpson-White, R. and Dixon, L.R.J.
Evidence for thermal stability of ribosomal DNA sequences in hydrothermal-vent organisms 519
Dixon, L.R.J., *see* Dixon, D.R. *et al.* 519
Double, M., *see* Grahame *et al.* 499
Douglas, R.H. and Thorpe, A.
Short-wave absorbing pigments in the ocular lenses of deep-sea teleosts 93
Eckelbarger, K.J. and Young, C.M.
Ovarian ultrastructure and vitellogenesis in ten species of shallow-water and bathyal sea cucumbers (Echinodermata: Holothuroidea) 759
Eversole, A.G., *see* Goodsell *et al.* 231
Fast, T., *see* McMahon *et al.* 709
Fenaux, R.
A new mesopelagic appendicularian: *Oikopleura villafrancae* sp. nov. 911
Fernández, E., *see* Davies, A.G. *et al.* 691
Frolov, A.V. and Pankov, S.L.
The effect of starvation on the biochemical composition of the rotifer *Brachionus plicatilis* 343
Fuller, S.C., *see* Goodsell *et al.* 231
Gage, J.D.
Growth bands in the sea urchin *Echinus esculentus*: results from tetracycline-mark/recapture 257
Garcia, V.M., *see* Daneri *et al.* 723

PAGE

Gaten, E., Shelton, P.M.J. and Herring, P.J.
Regional morphological variations in the compound eyes of certain mesopelagic shrimps in relation to their habitat ... 61
See also Shelton *et al.* ... 77
Geiger, M.L., *see* Lapota *et al.* ... 733
Giles, L.A., *see* Tyler *et al.* ... 447
Gonçalves, E.J., *see* Almada *et al.* ... 187
Goodsell, J.G., Fuller, S.C., Eversole, A.G., Castagna, M. and Lutz, R.A.
Larval and early postlarval shell morphology of several venerid clams ... 231
Gordon, J.D.M. and Bergstad, O.A.
Species composition of demersal fish in the Rockall Trough, north-eastern Atlantic, as determined by different trawls ... 213
Grahame, J., Mill, P.J., Double, M. and Hull, S.L.
Patterns of variation in Aat-1 allele frequencies in rough periwinkles (*Littorina*) suggest similar selection regimes rather than conspecificity ... 499
Grant, A., *see* Hateley *et al.* ... 365
Gustafson, R.G. and Lutz, R.A.
Larval and early post-larval development of the protobranch bivalve *Solemya velum* (Mollusca: Bivalvia) ... 383
Halliday, N.C., *see* Coombs *et al.* ... 821
Harbison, G.R.
Observations on the swimming and buoyancy of *Cymbulia peroni* (Gastropoda: Thecosomata) made from a submersible ... 435
See also Janssen *et al.* ... 877
Harbour, D.S., *see* Davies, A.G. *et al.* ... 691
Hargreaves, P.M. and Herring, P.J.
The response of decapod and mysid crustaceans to artificially lighted trawls ... 621
Harris, J.E., *see* Jenkins *et al.* ... 553
Harvey, R., Blaxter, J.H.S. and Hoyt, R.D.
Development of superficial and lateral line neuromasts in larvae and juveniles of plaice (*Pleuronectes platessa*) and sole (*Solea solea*) ... 651
Hateley, J.G., Grant, A., Taylor, S.M. and Jones, N.V.
Morphological and other evidence on the degree of genetic differentiation between populations of *Nereis diversicolor* ... 365
Hatfield, E.M.C., Rodhouse, P.G. and Barber, D.L.
Production of soma and gonad in maturing female *Illex argentinus* (Mollusca: Cephalopoda) ... 281
See also Rodhouse and Hatfield ... 293
Hawkins, A.J.S. and Hilbish, T.J.
The costs of cell volume regulation: protein metabolism during hyperosmotic adjustment ... 569
Hawkins, S.J., *see* Davies, M.S. *et al.* ... 633
Haygood, M.G., Distel, D.L. and Herring, P.J.
Polymerase chain reaction and 16S rRNA gene sequences from the luminous bacterial symbionts of two deep-sea anglerfishes ... 149
Henderson, P.A., James, D. and Holmes, R.H.A.
Trophic structure within the Bristol Channel: seasonality and stability in Bridgwater Bay ... 675
Herring, P.J.
Bioluminescence of the oceanic apogonid fishes *Howella brodiei* and *Florenciella lugubris* ... 139

PAGE

Herring, P.J. and Partridge, J.C.
Light and life on RRS 'Discovery' 1
See also Gaten *et al.* 61
See also Shelton *et al.* 77
See also Haygood *et al.* 149
See also Hargreaves and Herring 621
Hilbish, T.J., *see* Hawkins and Hilbish 569
Holmes, R.H.A., *see* Henderson *et al.* 675
Hough, A.R. and Naylor, E.
Distribution and position maintenance behaviour of the estuarine mysid *Neomysis integer* 869
Hoyt, R.D., *see* Harvey *et al.* 651
Huddell, H.D., *see* Lapota *et al.* 733
Hull, S.L., *see* Grahame *et al.* 499
Iriarte, A., *see* Daneri *et al.* 723
James, D., *see* Henderson *et al.* 675
Janquín, M.A., *see* Davoult *et al.* 915
Janssen, J., Pankhurst, N.W. and Harbison, G.R.
Swimming and body orientation of *Notolepis rissoi* in relation to lateral line and visual function 877
Jenkins, P.G., Pulsford, A.L. and Harris, J.E.
Microscopy of the absorptive cells and gut-associated lymphoid tissue of the flounder *Platichthys flesus* 553
Jennings, S. and Pawson, M.G.
The origin and recruitment of bass, *Dicentrarchus labrax*, larvae to nursery areas 199
Jones, D.
Rhizogeton nudum (Cnidaria: Hydroida) in the British Isles 721
Jones, H.D., *see* Davies, M.S. *et al.* 633
Jones, N.V., *see* Hateley *et al.* 365
Kear, A.J. and Boyle, P.R.
Loss of meal antigenicity during digestion in *Sepia officinalis* (Cephalopoda: Sepioidea) 543
Keegan, B.F., *see* Kennedy and Keegan 783
Kelly, B.O., *see* Davenport *et al.* 835
Kennedy, J.J. and Keegan, B.F.
The encapsular developmental sequence of the mesogastropod *Turritella communis* (Gastropoda: Turritellidae) 783
Kies, L., *see* McMahon *et al.* 709
Komine, N., *see* Natsukari and Komine 271
Land, M.F.
Locomotion and visual behaviour of mid-water crustaceans 41
A note on the elongated eye of the octopus *Vitreledonella richardi* 89
Langston, W.J., *see* Bebianno *et al.* 329
Lapota, D., Young, D.K., Bernstein, S.A., Geiger, M.L., Huddell, H.D. and Case, J.F.
Diel bioluminescence in heterotrophic and photosynthetic marine dinoflagellates in an Arctic fjord 733
Leakey, R.J.G., *see* Pilling *et al.* 265
Le Pennec, M., *see* Auffret and Le Pennec 503
Lum-Kong, A., Pierce, G.J. and Yau, C.
Timing of spawning and recruitment in *Loligo forbesi* (Cephalopoda: Loliginidae) in Scottish waters 301

PAGE

Lutz, R.A.,
See Goodsell *et al.* 231
See Gustafson and Lutz 383
Madariaga, I. de, *see* Davies, A.G. *et al.* 691
Maltagliati, F., *see* Abbiati and Maltagliati 511
McGaw, I.J. and Naylor, E.
Distribution and rhythmic locomotor patterns of estuarine and open-shore populations of *Carcinus maenas* 599
McMahon, T.G., Raine, R.C.T., Fast, T., Kies, L. and Patching, J.W.
Phytoplankton biomass, light attenuation and mixing in the Shannon Estuary, Ireland 709
Merrett, N.R.
Demersal ichthyofaunal distribution in the abyssal eastern North Atlantic, with special reference to *Coryphaenoides* (*Nematonurus*) *armatus* (Macrouridae) 5
Mill, P.J., *see* Grahame *et al.* 499
Milligan, S., *see* Coombs *et al.* 821
Minchin, D.
Biological observations on young scallops, *Pecten maximus* 807
Natsukari, Y. and Komine, N.
Age and growth estimation of the European squid, *Loligo vulgaris*, based on statolith microstructure 271
Naylor, E.,
See Hough and Naylor 869
See McGaw and Naylor 599
Nichols, J.H., *see* Coombs *et al.* 821
Nott, J.A., *see* Pulsford *et al.* 483
O'Dor, R.K., *see* Wells, M.J. *et al.*. 313
Oliveira, R.F. de, *see* Almada *et al.* 187
Pankhurst, N.W., *see* Janssen *et al.* 877
Pankov, S.L., *see* Frolov and Pankov 343
Partridge, J.C., Archer, S.N. and Van Oostrum, J.
Single and multiple visual pigments in deep-sea fishes 113
See also Herring and Partridge 1
Patching, J.W., *see* McMahon *et al.* 709
Paterson, G.J.L., *see* Rice *et al.* 417
Pawson, M.G., *see* Jennings and Pawson 199
Pierce, G.J., *see* Lum-Kong *et al.* 301
Pilling, E.D., Leakey, R.J.G. and Burkill, P.H.
Marine pelagic ciliates and their productivity during summer in Plymouth coastal waters 265
Poggi, R., *see* Würtz *et al.* 861
Potts, G.W., *see* Swaby *et al.* 507
Pugh, P.R.
The status of the genus *Prayoides* (Siphonophora: Prayidae) 895
Pulsford, A.L., Ryan, K.P. and Nott, J.A.
Metals and melanomacrophages in flounder, *Platichthys flesus*, spleen and kidney 483
See also Jenkins *et al.* 553
Purdie, D.A., *see* Daneri *et al.* 723
Raine, R.C.T., *see* McMahon *et al.* 709

PAGE

Rand, T.G.
Distribution of *Ichthyophonus hoferi* (Mastigomycotina: Ichthyophonales) in yellowtail flounder, *Limanda ferruginea*, from the Nova Scotia Shelf, Canada 669
Rice, A.L., Tyler, P.A. and Paterson, G.J.L.
The pennatulid *Kophobelemnon stelliferum* (Cnidaria: Octocorallia) in the Porcupine Seabight (north-east Atlantic Ocean) 417
Robison, B.H.
Bioluminescence in the benthopelagic holothurian *Enypniastes eximia* 463
Rodhouse, P.G. and Hatfield, E.M.C.
Production of soma and gonad in maturing male *Illex argentinus* (Mollusca: Cephalopoda) 293
See also Hatfield *et al.* 281
Ryan, K.P., *see* Pulsford *et al.* 483
Ryland, J.S., *see* Thorpe, J.P. *et al.* 887
Serret, P., *see* Davies, A.G. *et al.* 691
Shchetinnikov, A.S.
Feeding spectrum of squid *Sthenoteuthis oualaniensis* (Oegopsida) in the eastern Pacific 849
Shelton, P.M.J., Gaten, E. and Herring, P.J.
Adaptations of tapeta in the eyes of mesopelagic decapod shrimps to match the oceanic irradiance distribution 77
See also Gaten *et al.* 61
Simkiss, K., *see* Bebianno *et al.* 329
Simpson-White, R., *see* Dixon, D.R. *et al.* 519
Smith, V.J., *see* Chisholm and Smith 529
Soyez, B., *see* Davoult *et al.* 915
Spikes, M., *see* Davenport, *et al.* 835
Stephens, J.A., *see* Taylor, A.H. *et al.* 919
Swaby, S.E., Potts, G.W. and Wheeler, A.
The first record of the short-beaked garfish *Belone svetovidovi* (Belonidae) in British waters 507
Taylor, A.H., Colebrook, J.M., Stephens, J.A. and Baker, N.G.
Latitudinal displacements of the Gulf Stream and the abundance of plankton in the north-east Atlantic 919
Taylor, S.M., *see* Hateley *et al.* 365
Thornton, S.M., *see* Davenport *et al.* 835
Thorpe, A., *see* Douglas and Thorpe 93
Thorpe, J.P., Ryland, J.S., Cornelius, P.F.S. and Beardmore, J.A.
Genetic divergence between branched and unbranched forms of the thecate hydroid *Aglaophenia pluma* 887
Tranter, P.R.G., *see* Davies, A.G. *et al.* 691
Treasurer, J.W., *see* Bron and Treasurer 645
Tuwo, A. and Conand, C.
Reproductive biology of the holothurian *Holothuria forskali* (Echinodermata) 745
Tyler, P.A., Young, C.M., Billett, D.S.M. and Giles, L.A.
Pairing behaviour, reproduction and diet in the deep-sea holothurian genus *Paroriza* (Holothurioidea: Synallactidae) 447
See also Rice *et al.* 417
Van Oostrum, J., *see* Partridge *et al.* 113
Wells, J., *see* Wells, M.J. *et al.* 313

PAGE

Wells, M.J., Wells, J. and O'Dor, R.K.
Life at low oxygen tensions: the behaviour and physiology of *Nautilus pompilius* and the biology of extinct forms 313
Wheeler, A., *see* Swaby *et al.* 507
Widder, E.A.
Mixed light imaging system for recording bioluminescence behaviours 131
Williams, G.A.
The effect of predation on the life histories of *Littorina obtusata* and *Littorina mariae* 403
Würtz, M., Poggi, R. and Clarke, M.R.
Cephalopods from the stomachs of a Risso's dolphin (*Grampus griseus*) from the Mediterranean 861
Yau, C., *see* Lum-Kong *et al.* 301
Young, C.M.
See Tyler *et al.* 447
See Eckelbarger and Young 759
Young, D.K., *see* Lapota *et al.* 733

SUBJECT INDEX

PAGES

Bacteria and Fungi
Antibacterial activity in the haemocytes of *Carcinus maenas* ... 529-542
Distribution of *Ichthyophonus hoferi* in yellowtail flounder ... 669-674
Luminous bacteria in anglerfish ... 149-159

Behaviour
Behaviour of *Nautilus* at low oxygen tensions ... 313-328
Behaviour of the neustonic grapsid crab, *Planes minutus* ... 611-620
Crab predation and winkle life histories ... 403-416
Crab-eating in the diamondback terrapin *Malaclemys terrapin*: ... 835-848
Locomotion and visual behaviour of mid-water crustaceans ... 41-60
Position maintenance of the estuarine *Neomysis integer* ... 869-876
Rapid shell closure in two brachiopods ... 579-598
Recording bioluminescence behaviours ... 131-138
Response of crustaceans to artificially lighted trawls ... 621-631
Swimming and buoyancy of the gastropod *Cymbulia* ... 435-446
Territoriality in male blennies ... 187-197

Biochemistry
Antibacterial activity in the haemocytes of *Carcinus maenas* ... 529-542
Biochemical composition of starving rotifers ... 343-356
Biochemical polymorphism in bass ... 357-364
Cadmium exposure and metallothionein induction in *Littorina* ... 329-342
Metals and melanomacrophages in flounder ... 483-498
Polymerase chain reaction and 16S rRNA genes from luminous bacteria ... 149-159

Bioluminescence
Bioluminescence in a bathypelagic holothurian ... 463-472
Bioluminescence of two oceanic apogonid fish ... 139-148
Diel bioluminescence in Arctic dinoflagellates ... 733-744
Recording bioluminescence behaviours ... 131-138

Communities
Species composition of demersal fish in the Rockall Trough ... 213-230
Trophic structure in the Bristol Channel ... 675-690

Comparative Anatomy and Functional Morphology
Bioluminescence of two oceanic apogonid fish ... 139-148
Development of neuromasts in plaice and sole ... 651-668
Elongated eye of octopus, *Vitreledonella richardi* ... 89-92
Excretory organs of a hydrothermal mollusc ... 503-506
Eye morphology of mesopelagic shrimps ... 61-75
Locomotion of ascidian tadpole larvae ... 161-186
Morphological differences in *Nereis* populations ... 365-381
Morphometry of flying fish from north-east Atlantic ... 25-39
Shell morphology of venerid clams ... 231-255
Tapetal adaptations in mesopelagic shrimps ... 77-88

Deep-Sea
16S rRNA genes from luminous bacteria in anglerfish ... 149-159
A pennatulid in the Porcupine Seabight ... 417-434
Bioluminescence in a bathypelagic holothurian ... 463-472
Demersal fish in the Rockall Trough ... 213-230
Ichthyofauna in abyssal north-east Atlantic ... 5-24
Reproduction and diet of a deep-sea holothurian ... 447-462

PAGE

Development, Growth and Maturation
Age and growth of *Loligo vulgaris* 271-280
Biological observations on young scallops, *Pecten maximus* 807-819
Development of neuromasts in plaice and sole 651-668
Encapsular developmental of a mesogastropod, *Turritella communis* 783-805
Growth-bands in a sea urchin 257-260
Protobranch bivalve development 383-402
Shell morphology of venerid clams 231-255
Soma and gonad production in female *Illex* 281-291
Soma and gonad production in male *Illex* 293-300
Ecology and Distribution
A pennatulid in the Porcupine Seabight 417-434
Biological observations on young scallops, *Pecten maximus* 807-819
Cephalopods in a Risso's dolphin from the Mediterranean 861-867
Demersal fish in the Rockall Trough 213-230
Displacements of the Gulf Stream and plankton in the north-east Atlantic 919-922
Distribution of *Ichthyophonus hoferi* in yellowtail flounder, ... 669-674
Distribution of sea lice (Caligidae) on wrasse (Labridae) 645-650
Distribution of the estuarine mysid *Neomysis integer* 869-876
Ecology of a *Phaeocystis* bloom in the English Channel 691-708
Ecology of the neustonic grapsid crab, *Planes minutus* 611-620
Feeding spectrum of squid *Sthenoteuthis oualaniensis* in the Pacific 849-860
First record of *Belone svetovidovi* in British waters 507-508
Food availability for sprat larvae in the Irish Sea 821-834
Ichthyofauna in abyssal north-east Atlantic 5-24
Phytoplankton biomass, light and mixing in the Shannon Estuary 709-720
Recruitment of bass larvae to nursery areas 199-212
Response of crustaceans to artificially lighted trawls 621-631
Rhizogeton nudum in the British Isles 721-722
Spawning of *Loligo forbesi* in Scottish waters 301-311
Trophic structure in the Bristol Channel 675-690
Feeding and Nutrition
Biochemical composition of starving rotifers 343-356
Cephalopods in a Risso's dolphin from the Mediterranean 861-867
Crab predation and winkle life histories 403-416
Crab-eating in the diamondback terrapin *Malaclemys terrapin*: 835-848
Diet of a deep-sea holothurian 447-462
Feeding spectrum of squid *Sthenoteuthis oualaniensis* in the Pacific 849-860
Food availability for sprat larvae in the Irish Sea 821-834
Loss of meal antigenicity during digestion in *Sepia officinalis* 543-551
Productivity of pelagic ciliates in summer 265-268
Rapid shell closure in two brachiopods 579-598
Soma and gonad production in female *Illex* 281-291
Soma and gonad production in male *Illex* 293-300
Trophic structure in the Bristol Channel 675-690
Hearing, balance and lateral line
Swimming of *Notolepis rissoi* in relation to lateral line function 877-886
Hydrothermal Vents
Excretory organs of a hydrothermal mollusc 503-506
Thermal stability of ribosomal DNA in hydrothermal-vent organisms 519-527

PAGE

Immunology
Antibacterial activity in the haemocytes of *Carcinus maenas* 529-542
Gut-associated lymphoid tissue of the flounder *Platichthys flesus* 553-567
Loss of meal antigenicity during digestion in *Sepia officinalis* 543-551
Light
Growth irradiance and dark respiration rates of phytoplankton 723-726
Light and life on RRS 'Discovery' 1-4
Light attenuation and mixing in the Shannon Estuary 709-720
Response of crustaceans to artificially lighted trawls 621-631
Locomotion, Swimming and Buoyancy
Fate of pedal mucus produced by the limpet, *Patella vulgata* 633-643
Locomotion and visual behaviour of mid-water crustaceans 41-60
Locomotion of ascidian tadpole larvae 161-186
Morphometry of flying fish from north-east Atlantic 25-39
Rhythmic locomotor patterns of *Carcinus maenas* 599-609
Swimming and body orientation of *Notolepis rissoi* 877-886
Swimming and buoyancy of the gastropod *Cymbulia* 435-446
Swimming mechanism and energetics of *Planes minutus* 611-620
Long-term Trends
Displacements of the Gulf Stream and plankton in the north-east Atlantic 919-922
Metabolism
Biometrics, carbon and nitrogen content in *Ophiothrix fragilis.* 915-918
Fate of pedal mucus produced by the limpet, *Patella vulgata* 633-643
Growth irradiance and dark respiration rates of phytoplankton 723-726
Protein metabolism during hyperosmotic adjustment 569-578
Migration and Movements
Recruitment of bass larvae to nursery areas 199-212
Molecular Biology and Genetics
16S rRNA genes from luminous bacteria in anglerfish 149-159
Aat-1 allele frequencies in *Littorina* 499-502
Biochemical polymorphism in bass 357-364
Genetic differentiation in *Nereis* 365-381
Genetic divergence in the thecate hydroid *Aglaophenia pluma* 887-894
Genetic population structure of *Neanthes succinea* 511-517
Thermal stability of ribosomal DNA in hydrothermal-vent organisms 519-527
New Species
Fenestrulina asturiasensis sp. nov. 727
Oikopleura villafrancae sp. nov. 912
Parasitology
Distribution of *Ichthyophonus hoferi* in yellowtail flounder, ... 669-674
Sea lice (Caligidae) on wrasse (Labridae) 645-650
Physiology and Experimental Biology
Bioluminescence of two oceanic apogonid fish 139-148
Locomotion of ascidian tadpole larvae 161-186
Phagocyte interactions in echinoderms 473-482
Physiology of *Nautilus* at low oxygen tensions 313-328
Pigments in ocular lenses of deep-sea fish 93-112
Protein metabolism during hyperosmotic adjustment 569-578
Rapid shell closure in two brachiopods 579-598
Tapetal adaptations in mesopelagic shrimps 77-88
Visual pigments in deep-sea fish 113-130

PAGE

Pollution and Toxicity
Cadmium exposure and metallothionein induction in *Littorina* 329-342
Metals and melanomacrophages in flounder 483-498
Phagocyte interactions in echinoderms 473-482
Population Studies
Aat-1 allele frequencies in *Littorina* 499-502
Genetic population structure of *Neanthes succinea* 511-517
Productivity
Ecology of a coastal *Phaeocystis* bloom in the English Channel 691-708
Phytoplankton biomass, light and mixing in the Shannon Estuary 709-720
Productivity of pelagic ciliates in summer 265-268
Red tides and blooms
An epibiont on a red-water ciliate 261-264
Ecology of a coastal *Phaeocystis* bloom in the English Channel 691-708
Reproduction and Life History
Crab predation and winkle life histories 403-416
Ovarian structure and vitellogenesis in sea cucumbers 759-781
Recruitment of bass larvae to nursery areas 199-212
Reproduction of a deep-sea holothurian 447-462
Reproductive biology of *Holothuria forskali* 745-758
Spawning of *Loligo forbesi* in Scottish waters 301-311
Territoriality in male blennies 187-197
Respiration
Dark respiration rates of phytoplankton 723-726
Rhythmicity
Diel bioluminescence in Arctic dinoflagellates 733-744
Rhythmic locomotor patterns of *Carcinus maenas* 599-609
Salinity and Osmoregulation
Locomotor patterns of estuarine and open-shore *Carcinus maenas* 599-609
Protein metabolism during hyperosmotic adjustment 569-578
Structure and Histology
Age and growth of *Loligo vulgaris* based on statolith microstructure 271-280
An epibiont on a red-water ciliate 261-264
Bioluminescence in a bathypelagic holothurian 463-472
Development of neuromasts in plaice and sole 651-668
Encapsular developmental of a mesogastropod, *Turritella communis* 783-805
Excretory organs of a hydrothermal mollusc 503-506
Growth-bands in a sea urchin 257-260
Gut-associated lymphoid tissue of the flounder *Platichthys flesus* 553-567
Metals and melanomacrophages in flounder 483-498
Morphological differences in *Nereis* populations 365-381
Ovarian structure and vitellogenesis in sea cucumbers 759-781
Phagocyte interactions in echinoderms 473-482
Protobranch bivalve development 383-402
Reproductive biology of *Holothuria forskali* 745-758
Shell morphology of venerid clams 231-255

PAGE

Taxonomy
A new mesopelagic appendicularian: *Oikopleura villafrancae* sp. nov. 911-914
Fenestrulina asturiasensis sp. nov. from the Iberian Peninsula 727-730
Genetic divergence in the thecate hydroid *Aglaophenia pluma* 887-894
Rhizogeton nudum in the British Isles 721-722
The status of the genus *Prayoides* (Siphonophora: Prayidae) 895-909
Techniques and Methodology
Mixed light imaging system for recording bioluminescence 131-138
Observations of a swimming gastropod from a submersible 435-446
Temperature responses
Effect of temperature on the fate of limpet pedal mucus 633-643
Thermal stability of ribosomal DNA in hydrothermal-vent organisms 519-527
Vision
Elongated eye of octopus, *Vitreledonella richardi* 89-92
Eye morphology of mesopelagic shrimps 61-75
Locomotion and visual behaviour of mid-water crustaceans 41-60
Pigments in ocular lenses of deep-sea fish 93-112
Swimming of *Notolepis rissoi* in relation to visual function 877-886
Tapetal adaptations in mesopelagic shrimps 77-88
Visual pigments in deep-sea fish 113-130